## **RAW SEQUENCE LISTING**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	_/o/?o9.?39A
Source:	IFWO
Date Processed by STIC:	11/10/05

## ENTERED



**IFWO** 

RAW SEQUENCE LISTING DATE: 11/10/2005
PATENT APPLICATION: US/10/709,739A TIME: 11:41:38

Input Set : N:\AMC\seq list.txt

Output Set: N:\CRF4\11102005\J709739A.raw

3 <110> APPLICANT: Rosetta Genomics LTD Bentwich, Itzhak Avniel, Amir 7 <120> TITLE OF INVENTION: Bioinformatically Detectable Group Of Novel Regulatory Examiner: Due to its sequence file sizes, this Serial number Viral And Viral Associated Oligonucleotides And Uses Thereof 11 <130> FILE REFERENCE: 06087.0302.CPUS00 13 <140> CURRENT APPLICATION NUMBER: 10/709,739A 14 <141> CURRENT FILING DATE: 2004-05-26 16 <150> PRIOR APPLICATION NUMBER: 60/521,433 17 <151> PRIOR FILING DATE: 2004-04-26 Serial number 19 <150> PRIOR APPLICATION NUMBER: 60/457,788 20 <151> PRIOR FILING DATE: 2003-03-27 is not in the 22 <150> PRIOR APPLICATION NUMBER: 60/441,241 23 <151> PRIOR FILING DATE: 2003-01-17 Search system. 25 <150> PRIOR APPLICATION NUMBER: 60/441,230 26 <151> PRIOR FILING DATE: 2003-01-17 28 <150> PRIOR APPLICATION NUMBER: 10/708,952 Please contact Mark Spencer 29 <151> PRIOR FILING DATE: 2004-04-02 31 <150> PRIOR APPLICATION NUMBER: 10/707,003 32 <151> PRIOR FILING DATE: 2003-10-30 34 <150> PRIOR APPLICATION NUMBER: 10/605,838 35 <151> PRIOR FILING DATE: 2003-10-30 37 <150> PRIOR APPLICATION NUMBER: 10/605,840 at 2-2533 38 <151> PRIOR FILING DATE: 2003-10-30 40 <150> PRIOR APPLICATION NUMBER: 10/604,984 41 <151> PRIOR FILING DATE: 2003-08-29 before requesting a search.
Thank your 43 <150> PRIOR APPLICATION NUMBER: 10/604,942 44 <151> PRIOR FILING DATE: 2003-08-28 46 <150> PRIOR APPLICATION NUMBER: 10/604,943 47 <151> PRIOR FILING DATE: 2003-08-28 49 <150> PRIOR APPLICATION NUMBER: 10/604,944 50 <151> PRIOR FILING DATE: 2003-08-28 52 <150> PRIOR APPLICATION NUMBER: 10/604,945 53 <151> PRIOR FILING DATE: 2003-08-28 55 <150> PRIOR APPLICATION NUMBER: 10/310,188 56 <151> PRIOR FILING DATE: 2002-12-05 58 <150> PRIOR APPLICATION NUMBER: PCT/IL03/00998 59 <151> PRIOR FILING DATE: 2003-11-26 61 <150> PRIOR APPLICATION NUMBER: 10/303,778 62 <151> PRIOR FILING DATE: 2003-11-26 · 64 <160> NUMBER OF SEQ ID NOS: 4204915

66 <170> SOFTWARE: PatentIn version 3.3

Input Set : N:\AMC\seq\_list.txt

68 <210> SEQ ID NO: 1 69 <211> LENGTH: 22 70 <212> TYPE: RNA 71 <213> ORGANISM: Human	
73 <400> SEQUENCE: 1	
74 uuugcugccu cucccagcuc cc	22
77 <210> SEQ ID NO: 2	
78 <211> LENGTH: 17	
79 <212> TYPE: RNA	
80 <213> ORGANISM: Human	
82 <400> SEQUENCE: 2	
83 cacuaguagu cucuggc	17
86 <210> SEQ ID NO: 3	
87 <211> LENGTH: 22	
88 <212> TYPE: RNA	
89 <213> ORGANISM: Human	
91 <400> SEQUENCE: 3	
92 gcuagugcag ggaaaucuuu gg	22
95 <210> SEQ ID NO: 4	
96 <211> LENGTH: 22	
97 <212> TYPE: RNA	
98 <213> ORGANISM: Human	
100 <400> SEQUENCE: 4	
101 cgcugcuccg ccuuguccau au	22
104 <210> SEQ ID NO: 5	
105 <211> LENGTH: 22	
106 <212> TYPE: RNA	
107 <213> ORGANISM: Human	
109 <400> SEQUENCE: 5	
110 ccccacuguc cccggagcug gc	22
113 <210> SEQ ID NO: 6	
114 <211> LENGTH: 22	
115 <212> TYPE: RNA 116 <213> ORGANISM: Human	
118 <400> SEQUENCE: 6	
119 ugcccuggcu cuucuuguuc ca	22
122 <210> SEQ ID NO: 7	22
123 <211> LENGTH: 22	
124 <212> TYPE: RNA	
125 <213> ORGANISM: Human	
127 <400> SEQUENCE: 7	
128 acauucucug auuggugccu cc	22
131 <210> SEQ ID NO: 8	
132 <211> LENGTH: 22	
133 <212> TYPE: RNA	
134 <213> ORGANISM: Human	
136 <400> SEQUENCE: 8	
137 aauauuucuu cuaaagcccu uu	22
140 <210> SEQ ID NO: 9	
· · · · · · · · · · · · · · · · · · ·	

Input Set : N:\AMC\seq\_list.txt

: . . .

	<211> LENGTH: 22 <212> TYPE: RNA		
	<213> ORGANISM: Human	·	
145	<400> SEQUENCE: 9		
146	guugagguga ugccagcccu	gc	22
149	<210> SEQ ID NO: 10		
150	<211> LENGTH: 22		
151	<212> TYPE: RNA		
	<213> ORGANISM: Human		
	<400> SEQUENCE: 10		
	ucauggggcc acagcugcca	gc	22
	<210> SEQ ID NO: 11		
	<211> LENGTH: 22		
	<212> TYPE: RNA		
	<213> ORGANISM: Human		
	<400> SEQUENCE: 11		2.0
	ugggggacac cagucucucu	cu	22
	<210> SEQ ID NO: 12 <211> LENGTH: 20		
	<211> LENGIH: 20 <212> TYPE: RNA		
	<213> ORGANISM: Human		
	<400> SEQUENCE: 12		
	ugguccccau ccuugcgauu		20
	<210> SEQ ID NO: 13		- '
	<211> LENGTH: 22		
178	<212> TYPE: RNA		
179	<213> ORGANISM: Human		
181	<400> SEQUENCE: 13		
182	uccugggagg cggagguugc	ag	22
185	<210> SEQ ID NO: 14		
186	<211> LENGTH: 22		
187	<212> TYPE: RNA		
	<213> ORGANISM: Human		
	<400> SEQUENCE: 14		
	agcaagacca ggguuuugug	uu	22
	<210> SEQ ID NO: 15	•	
	<211> LENGTH: 22		
	<212> TYPE: RNA	•	
	<213> ORGANISM: Human		
	<400> SEQUENCE: 15		2.0
	cccaggcugg aguguaaugg	ug	22
	<210> SEQ ID NO: 16		
	<211> LENGTH: 19 <212> TYPE: RNA		
	<212> TYPE: RNA <213> ORGANISM: Human		
	<400> SEQUENCE: 16		
	agccccuugg uacuguccu		19
	<210> SEQ ID NO: 17		13
	<211> LENGTH: 21		
217	ZZZZ DDMOIII. ZZ		

Input Set : N:\AMC\seq\_list.txt

: . : .

	<212> TYPE: RNA <213> ORGANISM: Human		
217	<400> SEQUENCE: 17		
218	cucuguuugc cugcugccau	С	21
	<210> SEQ ID NO: 18		
222	<211> LENGTH: 22		
223	<212> TYPE: RNA		
224	<213> ORGANISM: Human		
226	<400> SEQUENCE: 18		
227	gucucccagc cuacaucuuu	cu	22
	<210> SEQ ID NO: 19		
231	<211> LENGTH: 22		
232	<212> TYPE: RNA		
233	<213> ORGANISM: Human		
235	<400> SEQUENCE: 19		
	cccgggugga gccugggcug	ug	22
	<210> SEQ ID NO: 20		
240	<211> LENGTH: 22		
241	<212> TYPE: RNA		
242	<213> ORGANISM: Human		
244	<400> SEQUENCE: 20		
245	ucacugcaag cuccacccuc	cg	22
	<210> SEQ ID NO: 21	-	
	<211> LENGTH: 22		
250	<212> TYPE: RNA		
251	<213> ORGANISM: Human		
253	<400> SEQUENCE: 21		
254	aacccaggag guggagguug	ug	22
	<210> SEQ ID NO: 22		
258	<211> LENGTH: 22		
259	<212> TYPE: RNA		
260	<213> ORGANISM: Human		
262	<400> SEQUENCE: 22		
263	accuugugau ccaccugcuu	ug	22
266	<210> SEQ ID NO: 23		
267	<211> LENGTH: 22		
268	<212> TYPE: RNA		
269	<213> ORGANISM: Human		
271	<400> SEQUENCE: 23		
272	ccggcuacuc gggaggcuga	cg	22
	<210> SEQ ID NO: 24		
276	<211> LENGTH: 22		
277	<212> TYPE: RNA		
	<213> ORGANISM: Human		
	<400> SEQUENCE: 24		
281	cugcccuggg gggccuccuu	gc '	22
284	<210> SEQ ID NO: 25		
	<211> LENGTH: 22		
286	<212> TYPE: RNA		
		•	

Input Set : N:\AMC\seq\_list.txt

· · · · ·

289 290 293 294	<213> ORGANISM: Human <400> SEQUENCE: 25 gaccucauga uccaccugcc <210> SEQ ID NO: 26 <211> LENGTH: 22 <212> TYPE: RNA	uu	22
298 299 302	<213> ORGANISM: Human <400> SEQUENCE: 26 uucucugugc uggguccuga <210> SEQ ID NO: 27 <211> LENGTH: 22	gg	22
305	<212> TYPE: RNA <213> ORGANISM: Human <400> SEQUENCE: 27		
311 312	uggguaguuu ccccugcccu <210> SEQ ID NO: 28 <211> LENGTH: 23	gc	22
314 316	<212> TYPE: RNA <213> ORGANISM: Human <400> SEQUENCE: 28 aaaacagcuu ccuccagugg	CUC	23
320 321	<210> SEQ ID NO: 29 <211> LENGTH: 22 <212> TYPE: RNA		
325	<213> ORGANISM: Human <400> SEQUENCE: 29 ucacugcacu ccagccuggg	ug	22
330	<210> SEQ ID NO: 30 <211> LENGTH: 22 <212> TYPE: RNA		
334	<213> ORGANISM: Human <400> SEQUENCE: 30 caccaggagg acaggccccu	ac .	22
339	<210> SEQ ID NO: 31 <211> LENGTH: 22 <212> TYPE: RNA		
343	<213> ORGANISM: Human <400> SEQUENCE: 31 acgccuguaa ucccagcacu	uu	22
348	<210> SEQ ID NO: 32 <211> LENGTH: 22 <212> TYPE: RNA		
352	<213> ORGANISM: Human <400> SEQUENCE: 32 ugaccuccuu ucucgacuaa	uu .	22
357	<210> SEQ ID NO: 33 <211> LENGTH: 22 <212> TYPE: RNA		
359	<213> ORGANISM: Human		

Input Set : N:\AMC\seq\_list.txt

Output Set: N:\CRF4\11102005\J709739A.raw

## Please Note:

. . . .

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:1151984; N Pos. 3
Seq#:1152319; N Pos. 10
Seq#:1562690; N Pos. 7
Seq#:1568627; N Pos. 8
Seq#:1570464; N Pos. 7
Seq#:1572165; N Pos. 7
Seq#:1572399; N Pos. 7
Seq#:1572917; N Pos. 7
Seq#:1573164; N Pos. 6
Seq#:1573420; N Pos. 8
Seq#:1573740; N Pos. 9
Seq#:1573908; N Pos. 9
Seq#:1574016; N Pos. 10
Seq#:1574121; N Pos. 7
Seq#:1574344; N Pos. 7
Seq#:1574696; N Pos. 7
Seq#:1574729; N Pos. 6
Seg#:1575455; N Pos. 8
Seq#:1575602; N Pos. 4
Seq#:1575883; N Pos. 8
Seq#:1576154; N Pos. 6
Seq#:1576437; N Pos. 8
Seq#:1576542; N Pos. 10
Seq#:1576562; N Pos. 6
Seq#:1577142; N Pos. 6
Seq#:1577403; N Pos. 8
Seq#:1577447; N Pos. 8
Seq#:1577471; N Pos. 9
Seq#:1577537; N Pos. 8
Seg#:1577571; N Pos. 6
Seg#:1577607; N Pos. 9
Seq#:1577749; N Pos. 9
Seq#:1577766; N Pos. 9
Seq#:1577819; N Pos. 7
Seq#:1578193; N Pos. 8
Seq#:1578234; N Pos. 10
Seq#:1578285; N Pos. 6
Seq#:1578384; N Pos. 8
Seg#:1578483; N Pos. 6
Seq#:1578538; N Pos. 10
Seq#:1578697; N Pos. 11
Seq#:1578875; N Pos. 7
Seq#:1578953; N Pos. 8
Seq#:1579031; N Pos. 11
```

Input Set : N:\AMC\seq list.txt

Output Set: N:\CRF4\11102005\J709739A.raw

```
Seq#:1579037; N Pos. 8
Seq#:1579088; N Pos. 4
Seq#:1579093; N Pos. 9
Seg#:1579132; N Pos. 9
Seq#:1579265; N Pos. 10
Seq#:1579365; N Pos. 5
Seq#:1579413; N Pos. 7
Seq#:1579473; N Pos. 9
Seq#:1579560; N Pos. 7
Seq#:1579634; N Pos. 13
Seq#:1579690; N Pos. 12
Seq#:1579892; N Pos. 9
Seq#:1579915; N Pos. 7
Seq#:1579980; N Pos. 6
Seq#:1580106; N Pos. 7
Seq#:1580193; N Pos. 9
Seq#:1580264; N Pos. 13
Seq#:1580302; N Pos. 8
Seq#:1580411; N Pos. 8
Seq#:1580616; N Pos. 14
Seq#:1580633; N Pos. 9
Seq#:1580788; N Pos. 8
Seq#:1580841; N Pos. 6
Seq#:1580870; N Pos. 9
Seq#:1581040; N Pos. 5
Seq#:3362427; N Pos. 3
Seq#:3362464; N Pos. 10
Seq#:3919408; N Pos. 8
Seq#:3926143; N Pos. 7
Seq#:3929671; N Pos. 7
Seq#:3930198; N Pos. 5
Seq#:3930299; N Pos. 4
Seq#:3930322; N Pos. 6
Seq#:3930396; N Pos. 11
Seq#:3930434; N Pos. 8
Seq#:3930505; N Pos. 8
Seg#:3930589; N Pos. 7
Seq#:3930820; N Pos. 8
Seq#:3930909; N Pos. 5
Seq#:3931080; N Pos. 14
Seq#:3931279; N Pos. 13
Seq#:3931464; N Pos. 9
Seg#:3931618; N Pos. 6
Seq#:3931697; N Pos. 9
Seq#:3931887; N Pos. 6
Seq#:3932202; N Pos. 8
Seq#:3932319; N Pos. 8
Seq#:3932343; N Pos. 10
Seg#:3932350; N Pos. 7
```

· · · .

Input Set : N:\AMC\seq\_list.txt

Output Set: N:\CRF4\11102005\J709739A.raw

```
Seq#:3932808; N Pos. 9
Seq#:3932916; N Pos. 8
Seq#:3932954; N Pos. 7
Seq#:3933425; N Pos. 10
Seq#:3933442; N Pos. 6
Seq#:3933658; N Pos. 8
Seq#:3933834; N Pos. 8
Seq#:3934095; N Pos. 9
Seq#:3934166; N Pos. 11
Seg#:3934260; N Pos. 7
Seq#:3934376; N Pos. 9
Seq#:3934667; N Pos. 7
Seq#:3934705; N Pos. 6
Seq#:3934767; N Pos. 8
Seq#:3934772; N Pos. 9
Seq#:3934891; N Pos. 8
Seg#:3935307; N Pos. 6
Seq#:3935328; N Pos. 8
Seq#:3935360; N Pos. 6
Seq#:3935565; N Pos. 8
Seq#:3935624; N Pos. 9
Seq#:3935825; N Pos. 12
Seq#:3935843; N Pos. 4
Seq#:3935896; N Pos. 7
Seq#:3936019; N Pos. 9
Seq#:3936020; N Pos. 9
Seq#:3936420; N Pos. 6
Seq#:3936423; N Pos. 7
Seq#:3936426; N Pos. 9
Seq#:3936540; N Pos. 13
Seq#:3936550; N Pos. 7
Seq#:3936796; N Pos. 10
Seq#:3936846; N Pos. 9
Seq#:3937106; N Pos. 7
Seq#:3937123; N Pos. 7
Seq#:3937237; N Pos. 6
Seq#:3937353; N Pos. 6
Seq#:3937374; N Pos. 10
Seq#:3937375; N Pos. 10
Seq#:3937700; N Pos. 9
Seq#:3938303; N Pos. 8
Seq#:3938439; N Pos. 7
Seq#:3938559; N Pos. 9
Seq#:3938822; N Pos. 8
Seq#:3938844; N Pos. 7
```

4 1 .

VERIFICATION SUMMARY DATE: 11/10/2005
PATENT APPLICATION: US/10/709,739A TIME: 11:41:40

Input Set : N:\AMC\seq\_list.txt
Output Set: N:\CRF4\11102005\J709739A.raw

L:10367927 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1151984 after pos.:0 L:10370948 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1152319 after pos.:0 L:14064293 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1562690 after pos.:0 L:14117732 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1568627 after pos.:0 L:14134271 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1570464 after pos.:0 L:14149586 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1572165 after pos.:0 L:14151698 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1572399 after pos.:0 L:14156366 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1572917 after pos.:0 L:14158595 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1573164 after pos.:0 L:14160905 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1573420 after pos.:0 L:14163791 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1573740 after pos.:0 L:14165309 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1573908 after pos.:0 L:14166287 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1574016 after pos.:0 L:14167238 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1574121 after pos.:0  $L:14169251 \ M:341 \ W: \ (46) \ "n" \ or "Xaa" \ used, for SEQ ID#:1574344 \ after pos.:0$ L:14172425 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1574696 after pos.:0 L:14172728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1574729 after pos.:0 L:14179268 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1575455 after pos.:0 L:14180597 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1575602 after pos.:0 L:14183132 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1575883 after pos.:0 L:14185577 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1576154 after pos.:0 L:14188130 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1576437 after pos.:0 L:14189081 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1576542 after pos.:0 L:14189267 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1576562 after pos.:0 L:14194493 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577142 after pos.:0 L:14196848 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577403 after pos.:0 L:14197250 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577447 after pos.:0 L:14197471 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577471 after pos.:0 L:14198071 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577537 after pos.:0  $L:14198383 \text{ M}:341 \text{ W}: (46) \text{ "n" or "Xaa" used, for SEQ ID$$\#:1577571 after pos.:0$$ L:14198713 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577607 after pos.:0 L:14199997 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577749 after pos.:0 L:14200156 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577766 after pos.:0 L:14200639 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1577819 after pos.:0 L:14204011 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578193 after pos.:0 L:14204386 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578234 after pos.:0 L:14204851 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578285 after pos.:0 L:14205748 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578384 after pos.:0 L:14206645 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578483 after pos.:0 L:14207146 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578538 after pos.:0 L:14208583 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578697 after pos.:0 L:14210191 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578875 after pos.:0 L:14210899 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1578953 after pos.:0 L:14211607 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579031 after pos.:0 L:14211667 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579037 after pos.:0 L:14212132 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579088 after pos.:0 L:14212183 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579093 after pos.:0 L:14212540 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579132 after pos.:0

VERIFICATION SUMMARY DATE: 11/10/2005
PATENT APPLICATION: US/10/709,739A TIME: 11:41:40

Input Set : N:\AMC\seq\_list.txt

Output Set: N:\CRF4\11102005\J709739A.raw

L:14213743 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579265 after pos.:0 L:14214649 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579365 after pos.:0 L:14215087 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579413 after pos.:0 L:14215633 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579473 after pos.:0 L:14216422 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579560 after pos.:0 L:14217094 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579634 after pos.:0 L:14217604 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579690 after pos.:0 L:14219428 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579892 after pos.:0 L:14219641 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579915 after pos.:0 L:14220232 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1579980 after pos.:0 L:14221372 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580106 after pos.:0 L:14222161 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580193 after pos.:0 L:14222806 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580264 after pos.:0 L:14223154 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580302 after pos.:0  $L:14225992 \ M:341 \ W:$  (46) "n" or "Xaa" used, for SEQ ID#:1580616 after pos.:0 L:14226151 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580633 after pos.:0 L:14227552 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580788 after pos.:0 L:14228035 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580841 after pos.:0 L:14228302 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1580870 after pos.:0 L:14229838 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1581040 after pos.:0 L:30262327 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3362427 after pos.:0 L:30262666 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3362464 after pos.:0 L:35275168 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3919408 after pos.:0 L:35335789 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3926143 after pos.:0 L:35367547 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3929671 after pos.:0 L:35372296 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930198 after pos.:0 L:35373211 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930299 after pos.:0 L:35373424 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930322 after pos.:0  $L:35374096 \ M:341 \ W: \ (46) \ "n" \ or "Xaa" \ used, for SEQ ID#:3930396 \ after pos.:0$ L:35374444 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930434 after pos.:0 L:35375089 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930505 after pos.:0 L:35375851 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930589 after pos.:0 L:35377936 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930820 after pos.:0 L:35378743 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3930909 after pos.:0 L:35380288 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3931080 after pos.:0 L:35382085 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3931279 after pos.:0 L:35383756 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3931464 after pos.:0 L:35385148 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3931618 after pos.:0 L:35385865 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3931697 after pos.:0 L:35387581 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3931887 after pos.:0 L:35390422 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3932202 after pos.:0 L:35391481 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3932319 after pos.:0 L:35391703 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3932343 after pos.:0 L:35391772 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3932350 after pos.:0 L:35395900 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3932808 after pos.:0 L:35396878 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3932916 after pos.:0 L:35397226 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3932954 after pos.:0 L:35401471 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3933425 after pos.:0 VERIFICATION SUMMARY DATE: 11/10/2005 PATENT APPLICATION: US/10/709,739A TIME: 11:41:40

Input Set : N:\AMC\seq\_list.txt

Output Set: N:\CRF4\11102005\J709739A.raw

L:35401630 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3933442 after pos.:0 L:35403580 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3933658 after pos.:0 L:35405170 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3933834 after pos.:0 L:35407525 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934095 after pos.:0 L:35408170 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934166 after pos.:0 L:35409022 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934260 after pos.:0 L:35410072 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934376 after pos.:0 L:35412697 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934667 after pos.:0 L:35413045 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934705 after pos.:0 L:35413609 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934767 after pos.:0 L:35413660 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934772 after pos.:0 L:35414737 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3934891 after pos.:0 L:35418487 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3935307 after pos.:0 L:35418682 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3935328 after pos.:0 L:35418976 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3935360 after pos.:0 L:35420827 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3935565 after pos.:0 L:35421364 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3935624 after pos.:0 L:35423179 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3935825 after pos.:0 L:35423347 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3935843 after pos.:0 L:35423830 M:341 W: .(46) "n" or "Xaa" used, for SEQ ID#:3935896 after pos.:0  $L:35424943 \text{ M}:341 \text{ W}: (46) \text{ "n" or "Xaa" used, for SEQ ID$$\#:3936019 after pos.:0$$  $L:35424958 \ M:341 \ W:$  (46) "n" or "Xaa" used, for SEQ ID#:3936020 after pos.:0 L:35428564 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3936420 after pos.:0 L:35428597 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3936423 after pos.:0 L:35428630 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3936426 after pos.:0 L:35429662 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3936540 after pos.:0 L:35429758 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3936550 after pos.:0 L:35431978 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3936796 after pos.:0 L:35432434 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3936846 after pos.:0  $L:35434780 \ M:341 \ W: \ (46) \ "n" \ or "Xaa" \ used, for SEQ ID#:3937106 \ after pos.:0$ L:35434939 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3937123 after pos.:0 L:35435971 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3937237 after pos.:0 L:35437021 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3937353 after pos.:0 L:35437216 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3937374 after pos.:0 L:35437231 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3937375 after pos.:0  $L:35440162 \ M:341 \ W: \ (46) \ "n" \ or "Xaa" \ used, for SEQ ID#:3937700 \ after pos.:0$ L:35445595 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3938303 after pos.:0 L:35446825 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3938439 after pos.:0 L:35447911 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3938559 after pos.:0 L:35450284 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3938822 after pos.:0 L:35450488 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3938844 after pos.:0